

New Media™ Plates & Modules

new.
media™



Solutions for all manner of Media Cabling Problems

The modern home is now more than a mere home. It doubles up occasionally as a cinema, concert hall, meeting venue and computer room etc. Each of these functions brings with it its own unique requirements in terms of the provision of necessary services such as telephone or satellite sockets etc.

Even in recent memory designers and builders did not think beyond providing a perfunctory level of electrical switches, sockets and pendant light fittings in a new home. Nowadays, as well as providing an ever increasing number of these items, provision must be made for the myriad different electrical and electronic products which proliferate our homes.

Traditionally, products such as telephone and TV coaxial sockets etc. have all been supplied built into a standard size wall plate. The environment in today's office and home however requires a number of services to be provided to a specific work station or convenient access point. The most flexible and efficient means of doing this is the use of modules on a multiple aperture plate.


The New Media™ range illustrated in the following pages encompasses a wide range of media and power modules, providing the designer and installer a host of solutions for all manner of media cabling problems.



20 Year Warranty

All New Media™ plates are covered by our 20 year warranty against any fault in materials or manufacture experienced at any time within 20 years of the date of supply.

New Media™ plates are available in a variety of 11 distinctive quality finishes: Matt Black (only available with black inserts), Antique Brass*, Polished Brass, Polished Chrome, Satin Chrome*, Satin Brass*, Black Nickel, Pearl Nickel, Brushed Stainless*, Stainless Steel and Polar White.



New Media™ unique product codes

When ordering any New Media™ products, please specify the required finish by following the simple code structure as demonstrated here.




Plate Style Product Number Plate Finish Insert Finish (if applicable)

Contents

New Media™ Plates	L5
Deco Plus® Unfurnished Plates	L9
Deco® Unfurnished Plates	L10
Define® Unfurnished Plates	L11
Definity™ Unfurnished Plates	L12
Mode® Unfurnished Plates	L13
Part M™ Unfurnished Plates	L13
Polar™ Unfurnished Plates	L13
Metal Clad Unfurnished Plates	L14
New Media™ Modules	L16
Typical Sky+ Installation	L24
Typical Sky+ HD Installation	L25
Technical Details	L26

New Media™ Plates

The brief given to our designers charged with the task of developing the New Media™ range was to produce a comprehensive yet flexible and user friendly 'system' which enables the installer to easily create topical media and power cabling solutions.

All of the modules featured in this brochure are of the standard euro grid configuration based on 1 aperture modules of 25 x 50mm. Mounting plates are available as wall or floor plates and can accommodate 1 - 16 modules according to requirements.

Instead of numerous unsightly individual sockets, a single New Media™ plate can be used at a convenient point to bring together any combination of media modules. The individual modules are available in black, white or grey finishes and are suitable for mounting on blank plates from selected accessory ranges, namely the Polar™ and Mode® moulded accessory ranges, the Click® metal clad range plus the Deco Plus®, Deco®, Define® and Definity™ decorative metal ranges.

New Media™ Plates

new
media


L5



The furnished plates illustrated here contain 6 x 1 aperture and 1 x 2 aperture media modules (left) and 4 x 2 aperture 13A socket outlet modules (right).



MP508



MP608

Small Unfurnished Front Plates - 8 Apertures Requires MP520 flush back box and MP510 Yoke. see page L8.

- MP508AB** Small New Media™ Unfurnished Front Plate - 8 Apertures - Antique Brass
- MP508BR** Small New Media™ Unfurnished Front Plate - 8 Apertures - Polished Brass
- MP508PN** Small New Media™ Unfurnished Front Plate - 8 Apertures - Pearl Nickel
- MP508SB** Small New Media™ Unfurnished Front Plate - 8 Apertures - Satin Brass

Small New Media™ Unfurnished Front Plate & Yoke - 8 Apertures

- CMA608** Small New Media™ Unfurnished Front Plate & Yoke - 8 Apertures - White
- MP608**** Small New Media™ Unfurnished Front Plate & Yoke - 8 Apertures

Standards: BS 5733

Back Box Depth (mm): MP520 (47)


Dimensions (mm): 254 (W) x 91 (H) x 9 (D) **CMA608:** 248 (W) x 86 (H) x 9.5 (D)

Understanding the code:

MP - Plate Style **508** - Product No. **BN** - Insert Colour **AB** Antique Brass, **BR** Polished Brass, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome, **BN** Black Nickel, **PN** Pearl Nickel, **BS** Brushed Stainless, **SS** Stainless Steel, **PW** Polar White, **MB** Matt Black.

CLICK®


sales@scolmore.com | Call: 01827 63454 | scolmore.com



MP516



MP616



The furnished plate illustrated above contains 8 single New Media™ modules (top row) and 4 twin width socket outlet modules (bottom row).

MP516 - The yoke 'MP510' (x2) is required to mount the media modules into prior to assembling the frontplate, see page L8.

Back box MP525 or MP535 is required, see page L8.

Large Unfurnished Front Plates - 2 x 8 Apertures

MP516AB	Large New Media™ Unfurnished Front Plate - 2 x 8 Apertures - Antique Brass
MP516BN	Large New Media™ Unfurnished Front Plate - 2 x 8 Apertures - Black Nickel
MP516BR	Large New Media™ Unfurnished Front Plate - 2 x 8 Apertures - Polished Brass
MP516BS	Large New Media™ Unfurnished Front Plate - 2 x 8 Apertures - Brushed Stainless
MP516CH	Large New Media™ Unfurnished Front Plate - 2 x 8 Apertures - Polished Chrome
MP516PN	Large New Media™ Unfurnished Front Plate - 2 x 8 Apertures - Pearl Nickel
MP516SS	Large New Media™ Unfurnished Front Plate - 2 x 8 Apertures - Stainless Steel

Large New Media™ Unfurnished Front Plate & Yoke - 2 x 8 Apertures

CMA616	Large New Media™ Unfurnished Front Plate & Yokes - 2 x 8 Apertures - White
MP616**	Large New Media™ Unfurnished Front Plate & Yoke - 2 x 8 Apertures

Standards: BS 5733
Back Box Depth (mm): MP535 (35) Or MP525 (47)
Dimensions (mm): 250 (W) x 216 (H) x 8 (D) **616:** 248 (W) x 214 (H) x 9.5 (D)

Understanding the code:
MP - Plate Style **508** - Product No. **BN** - Plate Finish. **AB** Antique Brass, **BR** Polished Brass, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome, **BN** Black Nickel, **PN** Pearl Nickel, **BS** Brushed Stainless, **SS** Stainless Steel, **PW** Polar White, **MB** Matt Black.



MP603SCBK



MP603CHWH


Half New Media Semi-Modular Part Furnished Plate

CMA603	Half New Media Part Furnished Front Plate - 2 X 13A DP Switched Sockets & 3 Apertures
MP603CHWH	Half New Media Part Furnished Front Plate - 2 X 13A DP Switched Sockets & 3 Apertures
MP603SCWH	Half New Media Part Furnished Front Plate - 2 X 13A DP Switched Sockets & 3 Apertures
MP603CHBK	Half New Media Part Furnished Front Plate - 2 X 13A DP Switched Sockets & 3 Apertures
MP603MBBK	Half New Media Part Furnished Front Plate - 2 X 13A DP Switched Sockets & 3 Apertures
MP603SBBK	Half New Media Part Furnished Front Plate - 2 X 13A DP Switched Sockets & 3 Apertures
MP603SCBK	Half New Media Part Furnished Front Plate - 2 X 13A DP Switched Sockets & 3 Apertures

Supplied with 2 x 13A switched sockets. Back box MP520 required, see following page.



MP606CHBK



MP606SCWH

Product is supplied with 4 x 13A DP switched sockets. Back box MP525 or MP535 required, see following page.


2 Tier Semi-Modular Unfurnished Plates

CMA606	Large New Media™ Part Furnished Front Plate - 4 x 13A DP Switched Sockets & 2 x 3 Apertures
MP606CHBK	Large New Media™ Part Furnished Front Plate - 4 x 13A DP Switched Sockets & 2 x 3 Apertures
MP606CHWH	Large New Media™ Part Furnished Front Plate - 4 x 13A DP Switched Sockets & 2 x 3 Apertures
MP606SCBK	Large New Media™ Part Furnished Front Plate - 4 x 13A DP Switched Sockets & 2 x 3 Apertures
MP606SCWH	Large New Media™ Part Furnished Front Plate - 4 x 13A DP Switched Sockets & 2 x 3 Apertures
MP606MBBK	Large New Media™ Part Furnished Front Plate - 4 x 13A DP Switched Sockets & 2 x 3 Apertures

Standards: BS 1363-2
Back Box Depth (mm): 603: MP520 (47) **606:** MP535 (35) Or MP525 (47) **Cable Size (mm²):** 3 x 2.5 or 2 x 4
Dimensions (mm): **603:** 250 (W) x 86 (H) x 8 (D) **606:** 250 (W) x 216 (H) x 8 (D)

Understanding the code:
MP - Plate Style **508** - Product No. **BN** - Plate Finish. **BK** - Insert Finish. **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome, **PW** Polar White, **MB** Matt Black.

L8



MP510



MP520



MP525 | MP535

Yoke

MP510 New Media™ Yoke - 8 Apertures

Divider Plates

MP521 Divider Plate 47mm Deep for MP520 (76mm x 44mm)

MP526 Divider Plate 47mm Deep for MP525 (93mm x 44mm)

MP536 Divider Plate 35mm Deep for MP535

Back Boxes

MP520 47mm Deep New Media™ Back Box - 8 Apertures

MP525 47mm Deep New Media™ Back Box With Central Divider - 2 x 8 Apertures

MP535 35mm Deep New Media™ Back Box With Central Divider - 2 x 8 Apertures

Galvanised steel back boxes supplied for flush mounting of Media Plates. Mounting yoke facilitates pre-assembly of required modules. Fitted with twin earth terminals. Divider plates can be installed as necessary in order to screen sensitive modules.

Standards: BS 5733
Cutout (mm): 520: 225 (W) x 75 (H) 525 535: 225 (W) x 194 (H)
Dimensions (mm): 510: 238 (W) x 75 (H) x 13 (D) 521: 76 (W) x 44 (H) x 1 (D) 526: 93 (W) x 44 (H) x 1 (D)
536: 93 (W) x 34 (H) x 1 (D) 520: 225 (W) x 75 (H) x 47 (D) 525: 225 (W) x 194 (H) x 47 (D) 535: 225 (W) x 194 (H) x 35 (D)


L9



DPCH310



DPSB311



DPBN312

deco
PLUS

Unfurnished Plates - New Media™

310 1 Gang New Media™ Unfurnished Plate - 1 Aperture

311 1 Gang New Media™ Unfurnished Plate - 2 Apertures

312 2 Gang New Media™ Unfurnished Plate - 4 Apertures

Standards: BS 5733
Back Box Depth (mm): Dependent On Modules Fitted
Dimensions (mm): 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D)

Understanding the code:
DP - Plate Style **BN** - Plate Finish **536** - Product No.
AB Antique Brass, **BR** Polished Brass, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome, **BN** Black Nickel, **SS** Stainless Steel, **MB** Matt Black



Unfurnished Plates - New Media™

- 310** 1 Gang New Media™ Unfurnished Plate - 1 Aperture
- 311** 1 Gang New Media™ Unfurnished Plate - 2 Apertures
- 312** 2 Gang New Media™ Unfurnished Plate - 4 Apertures

Standards: BS 5733


Back Box Depth (mm): Dependent On Modules Fitted

Dimensions (mm): **1 Gang:** 88 (W) x 88 (H) x 8 (D) **2 Gang:** 146 (W) x 88 (H) x 8 (D)

Understanding the code:

VP - Plate Style BN - Plate Finish 011 - Product No.

AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel, PN Pearl Nickel, MB Matt Black.



Unfurnished Plates - New Media™

- 310** 1 Gang New Media™ Unfurnished Plate - 1 Aperture
- 311** 1 Gang New Media™ Unfurnished Plate - 2 Apertures
- 312** 2 Gang New Media™ Unfurnished Plate - 4 Apertures

Standards: BS 5733

Back Box Depth (mm): Dependent On Modules Fitted

Dimensions (mm): **1 Gang:** 86 (W) x 86 (H) x 1.3 (D) **2 Gang:** 146 (W) x 88 (H) x 1.3 (D)

Understanding the code:

FP - Plate Style BN - Plate Finish 311 - Product No. BK - Insert Colour.

BS Brushed Stainless, BN Black Nickel, PN Pearl Nickel, CH Polished Chrome and SS Stainless Steel



New Media™ Unfurnished Plate Inserts

- SIN310BK** 1 Gang New Media™ Unfurnished Plate Insert - 1 Aperture
- SIN311BK** 1 Gang New Media™ Unfurnished Plate Insert - 2 Apertures
- SIN312BK** 2 Gang New Media™ Unfurnished Plate Insert - 4 Apertures

New Media™ Cover Plates

- SCP310** 1 Gang New Media™ Cover Plate - 1 Aperture
- SCP311** 1 Gang New Media™ Cover Plate - 2 Apertures
- SCP312** 2 Gang New Media™ Cover Plate - 4 Apertures

Standards: Inserts: BS 5733

Back Box Depth (mm): Dependent On Modules Fitted

Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:

SIN - Insert Prefix **311** - Product No **BK** - Insert Colour **SS** - 'INGOT' Switch Finish (if applicable).

SCP - Definity™ Cover Plate Prefix **311** - Product No **SS** - Plate Colour. Definity™ plates are coated stainless steel

CH Chrome, **SS** Stainless Steel, **BS** Brushed Stainless, **PW** Polar White, **BK** Matt Black, **MW** Metal White, **RD** Red & **MB** Metal Black.



MODE®

Mode® Unfurnished Plates - New Media™

- CMA310** 1 Gang New Media™ Unfurnished Plate - 1 Aperture
- CMA311** 1 Gang New Media™ Unfurnished Plate - 2 Apertures
- CMA312** 2 Gang New Media™ Unfurnished Plate - 4 Apertures

Part M Range™

Part M Range™ Unfurnished Plates - New Media™

- CMA310AG** 1 Gang New Media™ Unfurnished Plate - 1 Aperture
- CMA311AG** 1 Gang New Media™ Unfurnished Plate - 2 Apertures
- CMA312AG** 2 Gang New Media™ Unfurnished Plate - 4 Apertures

polar™

Polar™ Unfurnished Plates - New Media™

- PRW310** 1 Gang New Media™ Unfurnished Plate - 1 Aperture
- PRW311** 1 Gang New Media™ Unfurnished Plate - 2 Apertures
- PRW312** 2 Gang New Media™ Unfurnished Plate - 4 Apertures

Standards: BS 5733

Back Box Depth (mm): Dependent On Modules Fitted


Dimensions (mm): Mode® & Part M™: 1 Gang: 86 (W) x 86 (H) x 9.5 (D) 2 Gang: 146 (W) x 86 (H) x 9.5 (D)

Polar™: 1 Gang: 86 (W) x 86 (H) x 11 (D) 2 Gang: 146 (W) x 86 (H) x 11 (D)



Unfurnished Plates - New Media™ c/w 40mm Mounting Box

- CL311** 1 Gang New Media™ Unfurnished Plate - 2 Apertures
CL312 2 Gang New Media™ Unfurnished Plate - 4 Apertures




Unfurnished Floor Plates - For Use With New Media™ Modules

- FS311SS** 1 Gang New Media™ Unfurnished Floor Plate - 2 Apertures
FS312SS 2 Gang New Media™ Unfurnished Floor Plate - 4 Apertures

Standards: BS 5733
Back Box Depth (mm): 40
Dimensions (mm): CL311: 80 (W) x 80 (H) x 42 (D) CL312: 140 (W) x 80 (H) x 42 (D) FS311SS: 86 (W) x 93 (D) x 5 (H)
 FS312SS: 146 (W) x 93 (D) x 5 (H)



The New Media™ modules offer a flexible build solution to a host of individual media transfer requirements. The clip fit grid modules are simple to install in their blank mounting plates.



TV/Satellite Modules - Single Width (25mm x 50mm)

MM405BK	Single Female Satellite Module - Black	MM415BK	Single Male Coaxial Module - Black
MM405WH	Single Female Satellite Module - White	MM415WH	Single Male Coaxial Module - White
MM405GY	Single Female Satellite Module - Grey	MM415GY	Single Male Coaxial Module - Grey
MM406BK	Twin Female Satellite Module (F to F Connection) - Black	MM450BK	Blank Module - Black
MM406WH	Twin Female Satellite Module (F to F Connection) - White	MM450WH	Blank Module - White
MM406GY	Twin Female Satellite Module (F to F Connection) - Grey	MM450GY	Blank Module - Grey
MM410BK	Single Female Coaxial Module - Black		
MM410WH	Single Female Coaxial Module - White		
MM410GY	Single Female Coaxial Module - Grey		

Standards: 450: BS 5733
Dimensions (mm): 405: 25 (W) x 50 (H) x 23 (D) 406: 25 (W) x 50 (H) x 15 (D) 410 415: 25 (W) x 50 (H) x 23.4 (D)
 450: 25 (W) x 50 (H) x 14 (D)



All diplexed, triplexed and quad modules require installation of a signal combining distribution amplifier. Not suitable for use in the Republic of Ireland.
 The range of diplexed, triplexed and quad modules are not compatible with 'Sky Q'.

Media Modules - Twin Width (50mm x 50mm)

MM420BK	Diplexed TV And Radio Module - Black
MM420WH	Diplexed TV And Radio Module - White
MM420GY	Diplexed TV And Radio Module - Grey
MM430BK	Triplexed TV, Radio & Satellite Module - Black
MM430WH	Triplexed TV, Radio & Satellite Module - White
MM430GY	Triplexed TV, Radio & Satellite Module - Grey
MM440BK	Quad TV, Radio, Sat 1 & Sat 2 Module - Black
MM440WH	Quad TV, Radio, Sat 1 & Sat 2 Module - White
MM440GY	Quad TV, Radio, Sat 1 & Sat 2 Module - Grey

Dimensions (mm): 50 (W) x 50 (H) x 31.3 (D)

TV/Satellite Modules - Twin Width (50mm x 50mm)

MM425BK	Diplexed TV And Satellite Module - Black
MM425WH	Diplexed TV And Satellite Module - White
MM425GY	Diplexed TV And Satellite Module - Grey



MM460BK

MM465WH

MM470GY

MM480WH

MM485BK

MM460
(Back)MM465
(Back)MM470
(Back)MM480
(Back)MM485
(Back)

All New Media™ RJ45 modules are non-screened and are suitable for use with either Type A or Type B wiring conventions.

Telephone/Data Modules - Single Width (25mm x 50mm)

MM460BK Telephone Master Module - Black
MM460WH Telephone Master Module - White
MM460GY Telephone Master Module - Grey

MM465BK Telephone Secondary Module - Black
MM465WH Telephone Secondary Module - White
MM465GY Telephone Secondary Module - Grey

MM470BK RJ11 Module - Black
MM470WH RJ11 Module - White
MM470GY RJ11 Module - Grey

MM480BK RJ45 Cat-5e Module - Black
MM480WH RJ45 Cat-5e Module - White
MM480GY RJ45 Cat-5e Module - Grey

MM485BK RJ45 Cat-6 Module - Black
MM485WH RJ45 Cat-6 Module - White
MM485GY RJ45 Cat-6 Module - Grey

Dimensions (mm): 460 465: 25 (W) x 50 (H) x 20.2 (D) 470: 25 (W) x 50 (H) x 17.2 (D) 480 485: 25 (W) x 50 (H) x 18 (D)



MM002BK

MM022WH

MM023BK

MM025WH

MM047BK

MM002
(Back)MM022
(Back)MM023
(Back)MM025
(Back)MM047
(Back)

Switch Modules - Single Width (25mm x 50mm)

MM002BK 10AX 2 Way Switch Module - Black
MM002WH 10AX 2 Way Switch Module - White

MM025BK 10AX Intermediate Switch Module - Black
MM025WH 10AX Intermediate Switch Module - White

MM022BK 20A DP Switch Module - Black
MM022WH 20A DP Switch Module - White

MM023BK 20A DP Switch With Neon Module - Black
MM023WH 20A DP Switch With Neon Module - White
 Neon positioned on top of rocker

13A Fused FCU Modules - Single Width (25mm x 50mm)

MM047BK 13A Fused FCU Module - Black
MM047WH 13A Fused FCU Module - White

Standards: BS EN 60669-1 047: BS 1363-4 BS 1362
Cable Size (mm²): 022 023: 3 x 2.5 or 2 x 4 025 002 047: 4 x 1.5 or 3 x 2.5
Dimensions (mm): 25 (W) x 50 (H) x 22 (D) 047: 25 (W) x 50 (H) x 24.7 (D)



MM010BK

MM020WH



MM033WH

MM030BK



MM038WH



MM515WH

MM586BK

Socket Outlet Modules - Twin Width (50mm x 50mm)

- MM010BK** 13A UK Socket Module - Black
MM010WH 13A UK Socket Module - White

- MM020BK** 16A European Schuko Socket Module - Black
MM020WH 16A European Schuko Socket Module - White

If using with metal clad plates CL311 and CL312, the 40mm deep back boxes supplied will need to be replaced with 50mm deep, CL087 (1 gang) or CL088 (2 gang).

- MM030BK** 16A 110V US Socket Module - Black
MM030WH 16A 110V US Socket Module - White

- MM033BK** 15A Round Pin Socket Module - Black
MM033WH 15A Round Pin Socket Module - White

- MM038BK** 5A Round Pin Socket Module - Black
MM038WH 5A Round Pin Socket Module - White

USB Charging Modules - Single Width (25mm x 50mm)


- MM515BK** 2A USB Charging Module - Black
MM515WH 2A USB Charging Module - White
MM586BK 2A "A" & 3A "C" USB Dual Charging Module - Black
MM586GY 2A "A" & 3A "C" USB Dual Charging Module - Grey
MM586WH 2A "A" & 3A "C" USB Dual Charging Module - White

Standards: 010: BS 1363-2 020: IEC 60884 030: UL 498 033 038: BS 546
 515: BS EN 60950-1 BS EN 61000-6-1 586: BS IEC 62368-1, BS EN 61000-6-1, BS EN 61000-6-3
Cable Size (mm²): 3 x 2.5 or 2 x 4 038: 4 x 1.5 or 3 x 2.5 515: 2 x 1.5 586: 0.75 to 2.5
Dimensions (mm): 010: 50 (W) x 50 (H) x 25.6 (D) 020: 50 (W) x 50 (H) x 40.1 (D) 030: 50 (W) x 50 (H) x 25.5 (D)
 033: 50 (W) x 50 (H) x 41 (D) 038: 50 (W) x 50 (H) x 27.1 (D) 515 586: 25 (W) x 55.7 (H) x 37 (D)



LED Euromods - Twin Width (50mm x 50mm)

- MM1001CW** 230V 1W LED Euromod - Cool White
MM1001WW 230V 1W LED Euromod - Warm White
 Pre-wired with 110mm flylead.



MM490BK

MM490 (Back)



MM495WH

MM495 (Side)

Speaker Modules - Single Width (25mm x 50mm)

- MM490BK** RCA/Phono Module (2 Outlets) - Black
MM490WH RCA/Phono Module (2 Outlets) - White
MM490GY RCA/Phono Module (2 Outlets) - Grey

- MM495BK** Loudspeaker Module (2 Outlets) - Black
MM495WH Loudspeaker Module (2 Outlets) - White
MM495GY Loudspeaker Module (2 Outlets) - Grey



UK Design Registration:
002296483

MM550WH



MM501GY

HDMI Outlet with Flexible
Connection (80mm Long)


Brush Modules - Single Width (25mm x 50mm)

- MM550BK** Single Brush Module - Black (Black Bristles)
MM550WH Single Brush Module - White (Black Bristles)
MM550WHWH Single Brush Module - White (White Bristles)

HDMI Modules - Single Width (25mm x 50mm)

- MM501BK** HDMI V2.0 With Fly-Lead Module - Black
MM501WH HDMI V2.0 With Fly-Lead Module - White
MM501GY HDMI V2.0 With Fly-Lead Module - Grey

Standards: 1001: BS EN 60598-1 BS EN 60598-2-2 BS EN 55015 BS EN 61547 & BS PD IEC/TR 62778 BS EN 61000-3-2 &
 BS EN 61000-3-3 550: BS 5733
Dimensions (mm): 490: 25 (W) x 50 (H) x 18.3 (D) 495: 25 (W) x 50 (H) x 19.3 (D) 501: 25 (W) x 50 (H) x 28.2 (D)
 550: 25 (W) x 50 (H) x 12.6 (D) 1001: 50 (W) x 50 (H) x 30 (D)



Media Modules - Single Width (25mm x 50mm)

- MM300BK** USB Throughput With Fly-Lead Module - Black
- MM300WH** USB Throughput With Fly-Lead Module - White
- MM300GY** USB Throughput With Fly-Lead Module - Grey




Media Modules - Single Width (25mm x 50mm)

- MM491BK** Triple RCA Module (With Screw Terminals) - Black
- MM491WH** Triple RCA Module (With Screw Terminals) - White
- MM491GY** Triple RCA Module (With Screw Terminals) - Grey



- MM305BK** VGA With Fly-Lead Module - Black
- MM305WH** VGA With Fly-Lead Module - White
- MM305GY** VGA With Fly-Lead Module - Grey



- MM496BK** 3.5mm Audio Jack With Fly-Lead Module - Black
- MM496WH** 3.5mm Audio Jack With Fly-Lead Module - White
- MM496GY** 3.5mm Audio Jack With Fly-Lead Module - Grey

Dimensions (mm): 300: 25 (W) x 50 (H) x 41 (D) 305: 25 (W) x 50 (H) x 50 (D)
491: 25 (W) x 50 (H) x 18.3 (D) 496: 25 (W) x 50 (H) x 38 (D)

Touch & Indicator Modules - Twin Width (50mm x 50mm)

- MM602BK** Hotel Touch & Indicator Modules - Black
- MM602WH** Hotel Touch & Indicator Modules - White

Both Touch panel and Indicator panel supplied.
Both panels require the (311 - 2 aperture) unfurnished plates or (312 - 4 aperture) unfurnished plates if mounting with additional New Media modules.

Hotel Key Card Switch Module - Twin Width (50mm x 50mm)

- MM620BK** 10A/6AX Hotel Key Card Timer Switch (Mechanical) Module Only - Black

Blue LED illuminates when the key card is removed and the exit time has elapsed.
Select Cover plate below:



Full item requires (MM620BK) switch module, (311) unfurnished plate and (SP620) hotel key card cover plate, see listed products below:

Hotel Key Card Switch Module Covers

- SP620BK** Black
- SP620MTBK** Black - Matt Black
- SP620BKAB** Black - Antique Brass
- SP620BKBN** Black - Black Nickel
- SP620BKBR** Black - Polished Brass
- SP620BKBS** Black - Brushed Stainless
- SP620BKCH** Black - Polished Chrome
- SP620BKPN** Black - Pearl Nickel
- SP620BKSB** Black - Satin Brass
- SP620BKSC** Black - Satin Chrome
- SP620BKSS** Black - Stainless Steel


Hotel Key Card Switch Module Covers

- SP620PW** White - White (Metal)
- SP620WH** White - White (Plastic)
- SP620WHBR** White - Polished Brass
- SP620WHBS** White - Brushed Stainless
- SP620WHCH** White - Polished Chrome
- SP620WHPN** White - Pearl Nickel
- SP620WHSB** White - Satin Brass
- SP620WHSC** White - Satin Chrome
- SP620WHSS** White - Stainless Steel

Please note requires mounting plate **311 see from page L9 to page page L14 or for **31102, please see GridPro® section.
Requires the MM620BK key card module.

Standards: MM602: BS 5733 BS EN 60669-2-1 MM620: BS EN 60669-1 BS EN 60669-2-3
Cable Size (mm²): 2 x 1.5 **MM602:** 1.5 **Time setting:** 10 seconds to 5 minutes
Dimensions (mm): MM602: 50 (W) x 50 (H) x 33 (D) MM620: 50 (W) x 50 (H) x 40 (D) SP620: 61 (W) x 52 (H) x 20.5 (D)
Key card not included. Accepts standard room cards: 85.6 x 53.98mm






Here, the input cables from the satellite dish and the TV aerial are connected directly to the rear of each module.

The return module is provided to allow the Sky signal to be shared throughout the property using a suitable distribution amplifier.

The use of a secondary telephone connection allows for easy connection between the Sky box and the telephone line.

Products Used For This Configuration:

- 1 x MM312 Media Plate
- 1 x MM406 Twin Satellite Module
- 1 x MM415 Co-axial Module
- 1 x MM410 Co-axial Module
- 1 x MM465 Telephone Secondary Module



Here, the input cables from the satellite dish and the TV aerial are connected directly to the rear of each module.

The return module is provided to allow the Sky signal to be shared throughout the property using a suitable distribution amplifier.

The use of a secondary telephone connection allows for easy connection between the Sky box and the telephone line.

An HDMI module is provided to facilitate a high definition connection between the Sky box and television.

MM405 Single 'F' Satellite		
Connection	Frequency	Insertion Loss (dB) (Typical)
In to Out	5 to 2300 MHz	1.6
Power pass to connection		
MM410 Single IEC Female		
Connection	Frequency	Insertion Loss (dB) (Typical)
In to Out	5 to 862 MHz	0.3
Power pass to connection		
MM415 Single IEC Male		
Connection	Frequency	Insertion Loss (dB) (Typical)
In to Out	5 to 862 MHz	0.3
Power pass to connection		
MM420 Diplexed TV & Radio		
Connection	Frequency	Insertion Loss (dB) (Typical)
In to Radio	87.5 to 230 MHz	2.0
In to TV	47 to 68 MHz	1.5
In to TV	254 to 862 MHz	2.0
Power pass to TV		
MM425 Diplexed TV & Satellite		
Connection	Frequency	Insertion Loss (dB) (Typical)
In to TV	47 to 862MHz	2.0
In to Satellite	950 to 2150 MHz	2.5
In to Satellite	2150 to 2400 MHz	3.0
Power pass to satellite		
MM430 Triplexed TV, Radio & Satellite		
Connection	Frequency	Insertion Loss (dB) (Typical)
In to Radio	87.5 to 230MHz	3.0
In to TV	47 to 68MHz	2.0
In to TV	254 to 862MHz	2.0
In to Satellite	950 to 2300 MHz	3.0
Power pass to satellite		
MM440 Quad TV, Radio, Satellite 1 & Satellite 2		
Connection	Frequency	Insertion Loss (dB) (Typical)
In to Radio	87.5 to 230MHz	3.0
In to TV	470 to 862MHz	2.5
In to Satellite 1	950 to 2300 MHz	3.0
In to Satellite 2	25 to 2400 MHz	1.5
Power pass to satellite 1 & satellite 2		

All diplexed, triplexed and quad modules require installation of a signal combining distribution amplifier. Not suitable for use in the Republic of Ireland.

The range of diplexed, triplexed and quad modules are not compatible with 'Sky Q'.